GUIDELINES FOR SETTING UP OF GASOLINE RETAIL OUTLETS FOR 2/3 WHEELERS.

GENERAL

The Ministry of Surface Transport, GOI, has decided to set up small petrol pumps keeping in view the ever-increasing demand of petrol for 2/3 wheelers. For the State of P unjab, Jalandhar and Ludhiana have been selected for this kind of small petrol pumps with the recommended size of 60ft. (depth) and 50ft. (frontage). However, the basic function of a petrol pump remains' Service'.

DEFINITION

The terms petrol pumps is to be used as retail business engaged in supplying and dispensing gasoline and essential oils for 2/3 wheelers only.

SPACE REQUIREMENTS:

The space requirements for the location of filling station shall be as follows:-

a) Filling station- (60' deep x 50' front)
Each filling station shall provide adequate space for proper movement of vehicles and no other activity apart from dispensing of gasoline is to be allowed.

TRAFFIC REQUIREMENTS

Filling station is a major generator of traffic therefore while granting NOC, the objective for the siting must, keep traffic hazard to the minimum.

These filling stations are not be sited too close to an inter-section/traffic island on the main road. The siting of petrol station has to be on a road with a minimum width of 40'. To ensure satisfactory and smooth movement of traffic, the minimum desirable distance from minor road x-section to a station must be 50' and minimum 150' from any traffic island/major road x-section.

STORAGE

In the filling station the storage and handling of gasoline should be inconformity with the restrictions and safety standards proposed under Explosive Act.
The standard design and layout of the station is to be as per the standard design approved by concerned oil company.
That all the conditions laid down or to be laid down by TCPO GOI and IRC from time to time with regard to the location of road side fuel filling station have to be complied with.

Endst. No. 493-513-CTP (PB)/SP-25 Dated: 25-3-97

Copy is forwarded to the following in supersession of this office letter no. 12-46-CTP (Pb)/24-25, dated 7.4.94 and memo no. 1083-97-CTP(Pb)/SP-25, dated 27.4.94. The guidelines approved by STCP and LG for setting up of gasoline retail outlets for 2/3 wheelers has to be followed while examining such cases:

1. Senior Town Planner, (Hqr).
2. Senior Town Planner, Patiala,
3. Senior Town Planner, Jalandhar,
4. Senior Town Planner, Amritsar,
5. Senior Town Planner, SAS Nagar,
6. Senior Town Planner, Ludhiana,
7. District Town Planner, Ludhiana,
8. District Town Planner, S.A.S. Nagar,
9. District Town Planner, Ferozepur,
10. District Town Planner, Amritsar,
11. District Town Planner, Jalandhar,
12. District Town Planner, Hoshiarpur,
13. District Town Planner, Mandi Division,
14. District Town Planner, Patiala,
15. District Town Planner, Sangrur,
16. District Town Planner, Bathinda,
17. District Town Planner, Fatehgarh Sahib,
18. District Town Planner, Gurdaspur,
19. District Town Planner, Faridkot,
20. Dy. District Town Planner, Ropar and
21. Dy. District Town Planner, Kapurthala

Chief Town Planner
Punjab, Chandigarh